

TOP Series Shelving



page
6-31

Antibacterial Shelving



page
17

BLACK Series Shelving



page
30

ONE Series Shelving



page
42

TOP Series Shelving Kit



page
28

TOP Series High Density



page
32

TOP Series Trolleys



page
38

Tray Trolleys




page
44

The TONON system

An on-going innovative mission to satisfy
the most specific needs of our customers.

The certainty of a reliable partner
focused on your business.



Shelving Comparison



Tonon Shelving Systems offer the right solution to every possible customer's need.
This chart will guide you in making the best possible choice between our 2 lines **TOP** and **ONE** Series,

TOP Series	ONE Series
MATERIALS	
Posts, Traverses and Beams: 20 micron Anodized Aluminium Shelves slats: Food-Grade High Density Polyethylene.	Posts, Traverses and Beams: 10 micron Anodized Aluminium Shelves slats: Recycled High Density Polyethylene.
IDEAL FOR	
Hotels, Restaurants, Casinos, Canteens, Army, Cruiseships, Caterers, Grocery shops, Supermarkets, Healthcares, CSSD.	Hotels, Restaurants, Casinos, Canteens, Army, Cruiseships, Caterers, Grocery shops, Supermarkets.
STORAGE AREAS	
Wet storage: Walk-in Freezers and Cooler, Stability Rooms, Climate Chambers. Dry Storage: Bulk food storage, bulk food Containers, Linen, Catering equipment, China tableware	Wet storage: Walk-in Freezers and Cooler. Dry Storage: Bulk food storage, bulk food Containers, Linen, Catering equipment, China tableware
WARRANTY	
Life-Time Rust-Proof	Life-Time Rust-Proof
ASSEMBLY	
Very easy to assemble. No specific tool is needed.	Very easy to assemble. No specific tool is needed.
LOAD CAPACITY	
Stationary Unit: 250 kg (550 lb) per shelf, 1000 kg (2200 lb) per unit. Mobile Unit: 125 kg (250 lb) per unit. Trolley: 250 kg (550 lb) per unit.	Stationary Unit: 250 kg (550 lb) per shelf, 1000 kg (2200 lb) per unit.
UNIT LENGHTS	
22 lenghts 470-545-620-695-770-845-920-995-1070-1145-1220-1295-1370-1445-1520-1595-1670-1745-1820-1895-1970-2045 mm 19"-22"-25"-28"-31"-34"-37"-39"-42"-45"-48"-51"-54"-57"-60"-63"-66"-69"-72"-75"-78"-81"	5 lenghts 920-1070-1220-1370-1520 mm 37"-42"-48"-54"-60"
UNIT HEIGHTS	
Stationary: 8 heights 950-1250-1550-1700-1850-2000-2150-2450 mm 37"-49"-61"-67"-73"-79"-85"-96" Trolley: 3 heights 1050-1800-1900 mm 41"-71"-74"	Stationary: 3 heights 1550 - 61" (3 tiers) 1850 - 73" (4 tiers) 2150 - 85" (5 tiers) <u>Tiers in fixed positions</u>
UNIT WIDTHS	
5 widths 300-375-450-525-600 mm 12"-15"-18"-21"-24"	2 widths 450-600 mm 18"-24"
DUNNAGE STAND	
YES	YES
TOP SERIES PLUS	
Shelves adjustable in height, Corner Unit, Trolley Unit, Display Unit, High Density System.	



TOP Series



Load capacity:
up to 550 lb (250 kg) per shelf



Lightweight



Easy to clean



Fast assembly



Temperature range:
from -22°F (-30°C) to +194°F (+90°C)



Flat packaging = less freight costs



Ideal for cold and freezer rooms –
No frost issues with cardboard boxes



Approved and suitable for
direct food contact



Long Life service



No special tools
needed for assembly



Environmentally friendly all
the way from delivery to use



Simple click-assembly of the shelves,
ensuring ultimate flexibility and strength



Exclusive use of stainless steel
screws - none of them visible



International hygiene
certifications (FCMs; NSF)



NO RUST – 20 micron
anodized aluminum



Length precision < 1¼" (3 cm)

Light Gray Polyethylene Slats - Shelves Adjustable in Height

TOP Series

Ideal for cold room storage



Linear Single



Add-on



Angular




"U" Shape


Countless options

Our shelving system is available in many different configurations and it perfectly fits in any kind of walk in cold room.

8 heights



Easy to clean




75 mm (3") modularity



75 mm (3")
Slat width

5 depths (W), 22 lengths (L)





Data common to all shelves widths
(12" - 15" - 18" - 21" - 24") (300 - 375 - 450 - 525 - 600 mm)


Length		Load capacity		Slats	Length		Load capacity		Slats
in.	mm	lbs.	kg		in.	mm	lbs.	kg	
16	400	550	250	5	48	1225	485	220	16
19	475	550	250	6	51	1300	440	200	17
22	550	550	250	7	54	1375	440	200	18
25	625	550	250	8	57	1450	440	200	19
28	700	550	250	9	60	1525	400	180	20
31	775	550	250	10	63	1600	400	180	21
34	850	550	250	11	66	1675	400	180	22
37	925	530	240	12	69	1750	330	150	23
39	1000	530	240	13	72	1825	330	150	24
42	1075	485	220	14	75	1900	260	120	25
45	1150	485	220	15	78	1975	240	110	26

Tutte le dimensioni sono indicate in mm


TOP Series




Shelf Placement




Standard trolleys




Shelf height: 1850 mm (73") / Room height > 2100 mm (83")




Shelf height: 950 mm (37")




Shelf height: 2000 mm (79") / Room height > 2250 mm (89")




Shelf height: 1250 mm (49")




Shelf height: 2150 mm (85") / Room height > 2400 mm (95")



Shelf height: 1550 mm (61") / Room height > 1700 mm (67")



Shelf height: 2450 mm (96") / Room height > 2800 mm (110")





Shelf height: 1700 mm (67") / Room height > 1950 mm (77")

TOP Series

Measuring Guide

- Where do you want to place the storage facilities?
- What are the dimensions of the room?
 - Type
 - Quantity
 - Packaging dimensions
 - Weight
 - Frequency (In/Out)
- How do your goods arrive?
 - Quantities
 - Handling
 - Frequency
- Do you need available space for arriving goods?
- Do you need permanent floor space for pallet storage, trolleys or other items?
- How do the goods leave the storage room?
 - Quantities
 - Handling
 - Frequency



Don't forget about obstacles that may occur in some cold-rooms (Bumpers, Round curves, Tubes, etc.)

Room main dimensions:

A _____
B _____
G _____

Door dimensions and placement:

C _____
D _____
E _____
F _____

Don't forget to input these dimensions!

Cooler dimensions and placement (ceiling mount)







L _____
M _____
N _____
H _____
I - 1 _____
O _____
P _____
Q _____

Cooler dimensions and placement (wall mount)

T _____
U _____
V _____
I - 2 _____
R _____
S _____


International Hygiene Certifications

FCMs + NSF

	 <p>High density polyethylene</p> <p>The same material used for chopping blocks in kitchens</p>	
	 <p>Anodized aluminum.</p> <p>The same material used to preserve food</p>	

EASY TO CLEAN

Our shelving system is easy to clean. Nuts and bolts free construction. The shelf slats are made of polyethylene (PE-HD) and they are easy to remove and dishwasher safe as requested by HACCP.



FCMs.
Food contact materials to be brought into contact with food, to be introduced into contact with food or to transfer to the food under normal or foreseeable use.
This includes direct or indirect contact.

The safety of FCM is evaluated by the European Food Safety Authority (EFSA) accordingly with the regulations 1935/2004 CE and 2023/2006 CE



Certificate in compliance with NSF Ansi standard 02 (America, Africa, Asia and Oceania) for easy cleaning, function, materials' toxicological valuation.
To be renewed, the certificate requires a yearly audit at our premises.

NSF International P.O. Box – 130140 Ann Arbor Michigan - USA - Standard 02.

TOP Series

Assembly



The assembly of the starter unit takes less than 5 minutes



With the corner kit you can increase and optimize the storage capacity



Assembly Video

When you install Tonon's shelving system leave the plastic wrap on it. This will keep the shelving 100% clean untill the very last moment when products will arrive in the cold room




Shelving System Components

Aluminum Terminal Frame

Height (H)		Load Capacity (w.e.d.)		Width (W) 12" - 300 mm		Width (W) 15" - 375 mm		Width (W) 18" - 450 mm		Width (W) 21" - 525 mm		Width (W) 24" - 600 mm	
in.	mm	lb	kg	P/N	Price	P/N	Price	P/N	Price	P/N	Price	P/N	Price
37	950	2200	1000	KFT290		KFT365		KFT440		KFT515		KFT590	
49	1250	2200	1000	KFT294		KFT369		KFT444		KFT519		KFT594	
61	1550	2200	1000	KFT298		KFT373		KFT448		KFT523		KFT598	
67	1700	2200	1000	KFT300		KFT375		KFT450		KFT525		KFT600	
73	1850	2200	1000	KFT301		KFT376		KFT451		KFT526		KFT601	
79	2000	2200	1000	KFT302		KFT377		KFT452		KFT527		KFT602	
85	2150	2200	1000	KFT303		KFT378		KFT453		KFT528		KFT603	
96	2450	2200	1000	KFT304		KFT379		KFT454		KFT529		KFT604	

Aluminum Central Frame

Height (H)		Load Capacity (w.e.d.)		Width (W) 12" - 300 mm		Width (W) 15" - 375 mm		Width (W) 18" - 450 mm		Width (W) 21" - 525 mm		Width (W) 24" - 600 mm	
in.	mm	lb	kg	P/N	Price	P/N	Price	P/N	Price	P/N	Price	P/N	Price
37	950	2200	1000	KFC290		KFC365		KFC440		KFC515		KFC590	
49	1250	2200	1000	KFC294		KFC369		KFC444		KFC519		KFC594	
61	1550	2200	1000	KFC298		KFC373		KFC448		KFC523		KFC598	
67	1700	2200	1000	KFC300		KFC375		KFC450		KFC525		KFC600	
73	1850	2200	1000	KFC301		KFC376		KFC451		KFC526		KFC601	
79	2000	2200	1000	KFC302		KFC377		KFC452		KFC527		KFC602	
85	2150	2200	1000	KFC303		KFC378		KFC453		KFC528		KFC603	
96	2450	2200	1000	KFC304		KFC379		KFC454		KFC529		KFC604	




Complete with adjustable base and cap

Vented Aluminum Shelf with Plastic Slats

Length (L)		Load Capacity (w.e.d.)		Width (W) 12" - 300 mm		Width (W) 15" - 375 mm		Width (W) 18" - 450 mm		Width (W) 21" - 525 mm		Width (W) 24" - 600 mm	
in.	mm	lb	kg	P/N	Price	P/N	Price	P/N	Price	P/N	Price	P/N	Price
16	400	550	250	KFS292		KFS367		KFS442		KFS517		KFS592	
19	475	550	250	KFS294		KFS369		KFS444		KFS519		KFS594	
22	550	550	250	KFS296		KFS371		KFS446		KFS521		KFS596	
25	625	550	250	KFS298		KFS373		KFS448		KFS523		KFS598	
28	700	550	250	KFS300		KFS375		KFS450		KFS525		KFS600	
31	775	550	250	KFS302		KFS377		KFS452		KFS527		KFS602	
34	850	550	250	KFS304		KFS379		KFS454		KFS529		KFS604	
37	925	530	240	KFS306		KFS381		KFS456		KFS531		KFS606	
39	1000	530	240	KFS308		KFS383		KFS458		KFS533		KFS608	
42	1075	485	220	KFS310		KFS385		KFS460		KFS535		KFS610	
45	1150	485	220	KFS312		KFS387		KFS462		KFS537		KFS612	
48	1225	485	220	KFS314		KFS389		KFS464		KFS539		KFS614	
51	1300	440	200	KFS316		KFS391		KFS466		KFS541		KFS616	
54	1375	440	200	KFS318		KFS393		KFS468		KFS543		KFS618	
57	1450	440	200	KFS320		KFS395		KFS470		KFS545		KFS620	
60	1525	400	180	KFS322		KFS397		KFS472		KFS547		KFS622	
63	1600	400	180	KFS324		KFS399		KFS474		KFS549		KFS624	
66	1675	400	180	KFS326		KFS401		KFS476		KFS551		KFS626	
69	1750	330	150	KFS328		KFS403		KFS478		KFS553		KFS628	
72	1825	330	150	KFS330		KFS405		KFS480		KFS555		KFS630	
75	1900	260	120	KFS332		KFS407		KFS482		KFS557		KFS632	
78	1975	240	110	KFS334		KFS409		KFS484		KFS559		KFS634	


LIGHT GRAY
POLYETHYLENE SLATS



Including 4 connecting plastic clips to the frames

Polyethylene Corner Kit

Shelf Type	Width (W) 12" - 300 mm		Width (W) 15" - 375 mm		Width (W) 18" - 450 mm		Width (W) 21" - 525 mm		Width (W) 24" - 600 mm	
	P/N	Price	P/N	Price	P/N	Price	P/N	Price	P/N	Price
Vented	KFA300		KFA375		KFA450		KFA525		KFA600	




TOP Series

Vented Aluminum Shelf with Aluminum Slats

Length (L)		Load Capacity (w.e.d.)		Width (W) 12" - 300 mm		Width (W) 15" - 375 mm		Width (W) 18" - 450 mm		Width (W) 21" - 525 mm		Width (W) 24" - 600 mm	
in.	mm	lb	kg	P/N	Price	P/N	Price	P/N	Price	P/N	Price	P/N	Price
16	400	550	250	KFL292		KFL367		KFL442		KFL517		KFL592	
19	475	550	250	KFL294		KFL369		KFL444		KFL519		KFL594	
22	550	550	250	KFL296		KFL371		KFL446		KFL521		KFL596	
25	625	550	250	KFL298		KFL373		KFL448		KFL523		KFL598	
28	700	550	250	KFL300		KFL375		KFL450		KFL525		KFL600	
31	775	550	250	KFL302		KFL377		KFL452		KFL527		KFL602	
34	850	550	250	KFL304		KFL379		KFL454		KFL529		KFL604	
37	925	530	240	KFL306		KFL381		KFL456		KFL531		KFL606	
39	1000	530	240	KFL308		KFL383		KFL458		KFL533		KFL608	
42	1075	485	220	KFL310		KFL385		KFL460		KFL535		KFL610	
45	1150	485	220	KFL312		KFL387		KFL462		KFL537		KFL612	
48	1225	485	220	KFL314		KFL389		KFL464		KFL539		KFL614	
51	1300	440	200	KFL316		KFL391		KFL466		KFL541		KFL616	
54	1375	440	200	KFL318		KFL393		KFL468		KFL543		KFL618	
57	1450	440	200	KFL320		KFL395		KFL470		KFL545		KFL620	
60	1525	400	180	KFL322		KFL397		KFL472		KFL547		KFL622	
63	1600	400	180	KFL324		KFL399		KFL474		KFL549		KFL624	
66	1675	400	180	KFL326		KFL401		KFL476		KFL551		KFL626	
69	1750	330	150	KFL328		KFL403		KFL478		KFL553		KFL628	
72	1825	330	150	KFL330		KFL405		KFL480		KFL555		KFL630	
75	1900	260	120	KFL332		KFL407		KFL482		KFL557		KFL632	
78	1975	240	110	KFL334		KFL409		KFL484		KFL559		KFL634	

VENTED ALUMINUM SHELF WITH ALUMINUM SLATS




Including 4 connecting plastic clips to the frames

Solid Aluminum Shelf with Aluminum Slats

Length (L)		Load Capacity (w.e.d.)		Width (W) 12" - 300 mm		Width (W) 15" - 375 mm		Width (W) 18" - 450 mm		Width (W) 21" - 525 mm		Width (W) 24" - 600 mm	
in.	mm	lb	kg	P/N	Price	P/N	Price	P/N	Price	P/N	Price	P/N	Price
16	400	550	250	KFP292		KFP367		KFP442		KFP517		KFP592	
19	475	550	250	KFP294		KFP369		KFP444		KFP519		KFP594	
22	550	550	250	KFP296		KFP371		KFP446		KFP521		KFP596	
25	625	550	250	KFP298		KFP373		KFP448		KFP523		KFP598	
28	700	550	250	KFP300		KFP375		KFP450		KFP525		KFP600	
31	775	550	250	KFP302		KFP377		KFP452		KFP527		KFP602	
34	850	550	250	KFP304		KFP379		KFP454		KFP529		KFP604	
37	925	530	240	KFP306		KFP381		KFP456		KFP531		KFP606	
39	1000	530	240	KFP308		KFP383		KFP458		KFP533		KFP608	
42	1075	485	220	KFP310		KFP385		KFP460		KFP535		KFP610	
45	1150	485	220	KFP312		KFP387		KFP462		KFP537		KFP612	
48	1225	485	220	KFP314		KFP389		KFP464		KFP539		KFP614	
51	1300	440	200	KFP316		KFP391		KFP466		KFP541		KFP616	
54	1375	440	200	KFP318		KFP393		KFP468		KFP543		KFP618	
57	1450	440	200	KFP320		KFP395		KFP470		KFP545		KFP620	
60	1525	400	180	KFP322		KFP397		KFP472		KFP547		KFP622	
63	1600	400	180	KFP324		KFP399		KFP474		KFP549		KFP624	
66	1675	400	180	KFP326		KFP401		KFP476		KFP551		KFP626	
69	1750	330	150	KFP328		KFP403		KFP478		KFP553		KFP628	
72	1825	330	150	KFP330		KFP405		KFP480		KFP555		KFP630	
75	1900	260	120	KFP332		KFP407		KFP482		KFP557		KFP632	
78	1975	240	110	KFP334		KFP409		KFP484		KFP559		KFP634	

* GRID SHELF IS INCREASED BY AN AMOUNT OF 20%


SOLID ALUMINUM SHELF WITH ALUMINUM SLATS




Including 4 connecting plastic clips to the frames

Aluminum Corner Kit

Shelf Type	Width (W) 12" - 300 mm		Width (W) 15" - 375 mm		Width (W) 18" - 450 mm		Width (W) 21" - 525 mm		Width (W) 24" - 600 mm	
	P/N	Price	P/N	Price	P/N	Price	P/N	Price	P/N	Price
Vented	KFLA30		KFLA37		KFLA45		KFLA52		KFLA60	
Solid	KFPA30		KFPA37		KFPA45		KFPA52		KFPA60	



Shelving With Coloured Shelves




Terminal Frame

Height (H)		Load Capacity (w.e.d)		Width (W) 24" - 600 mm	
in.	mm	lb	kg	P/N	Price
37	950	2200	1000	KFT590	
49	1250	2200	1000	KFT594	
61	1550	2200	1000	KFT598	
67	1700	2200	1000	KFT600	
73	1850	2200	1000	KFT601	
79	2000	2200	1000	KFT602	
85	2150	2200	1000	KFT603	
96	2450	2200	1000	KFT604	

Central Frame

Height (H)		Load Capacity (w.e.d)		Width (W) 24" - 600 mm	
in.	mm	lb	kg	P/N	Price
37	950	2200	1000	KFC590	
49	1250	2200	1000	KFC594	
61	1550	2200	1000	KFC598	
67	1700	2200	1000	KFC600	
73	1850	2200	1000	KFC601	
79	2000	2200	1000	KFC602	
85	2150	2200	1000	KFC603	
96	2450	2200	1000	KFC604	



Complete with adjustable base and cap


Vented Shelf Red Plastic Slats

Length (L)		Load Capacity (e.d.w.)		Width (W) 24" - 600 mm		
in.	mm	lb	kg	P/N	Variant	Price
16	400	550	250	KFS592	RED	
19	475	550	250	KFS594	RED	
22	550	550	250	KFS596	RED	
25	625	550	250	KFS598	RED	
28	700	550	250	KFS600	RED	
31	775	550	250	KFS602	RED	
34	850	550	250	KFS604	RED	
37	925	530	240	KFS606	RED	
39	1000	530	240	KFS608	RED	
42	1075	485	220	KFS610	RED	
45	1150	485	220	KFS612	RED	
48	1225	485	220	KFS614	RED	
51	1300	440	200	KFS616	RED	
54	1375	440	200	KFS618	RED	
57	1450	440	200	KFS620	RED	
60	1525	400	180	KFS622	RED	
63	1600	400	180	KFS624	RED	
66	1675	400	180	KFS626	RED	
69	1750	330	150	KFS628	RED	
72	1825	330	150	KFS630	RED	
75	1900	260	120	KFS632	RED	
78	1975	240	110	KFS634	RED	

Vented Shelf Green Plastic Slats

Length (L)		Load Capacity (e.d.w.)		Width (W) 24" - 600 mm		
in.	mm	lb	kg	P/N	Variant	Price
16	400	550	250	KFS592	GREEN	
19	475	550	250	KFS594	GREEN	
22	550	550	250	KFS596	GREEN	
25	625	550	250	KFS598	GREEN	
28	700	550	250	KFS600	GREEN	
31	775	550	250	KFS602	GREEN	
34	850	550	250	KFS604	GREEN	
37	925	530	240	KFS606	GREEN	
39	1000	530	240	KFS608	GREEN	
42	1075	485	220	KFS610	GREEN	
45	1150	485	220	KFS612	GREEN	
48	1225	485	220	KFS614	GREEN	
51	1300	440	200	KFS616	GREEN	
54	1375	440	200	KFS618	GREEN	
57	1450	440	200	KFS620	GREEN	
60	1525	400	180	KFS622	GREEN	
63	1600	400	180	KFS624	GREEN	
66	1675	400	180	KFS626	GREEN	
69	1750	330	150	KFS628	GREEN	
72	1825	330	150	KFS630	GREEN	
75	1900	260	120	KFS632	GREEN	
78	1975	240	110	KFS634	GREEN	

COLOURED POLYETHYLENE SLATS



Including 4 connecting plastic clips to the frames



TOP Series

Antibacterial Shelves




Vented Shelf Turquoise Plastic Slats

Length (L)		Load Capacity (w.e.d.)		Width (W) 24" - 600 mm		
in.	mm	lb	kg	P/N	Variant	Price
16	400	550	250	KFS592	ANTI-BAC	
19	475	550	250	KFS594	ANTI-BAC	
22	550	550	250	KFS596	ANTI-BAC	
25	625	550	250	KFS598	ANTI-BAC	
28	700	550	250	KFS600	ANTI-BAC	
31	775	550	250	KFS602	ANTI-BAC	
34	850	550	250	KFS604	ANTI-BAC	
37	925	530	240	KFS606	ANTI-BAC	
39	1000	530	240	KFS608	ANTI-BAC	
42	1075	485	220	KFS610	ANTI-BAC	
45	1150	485	220	KFS612	ANTI-BAC	
48	1225	485	220	KFS614	ANTI-BAC	
51	1300	440	200	KFS616	ANTI-BAC	
54	1375	440	200	KFS618	ANTI-BAC	
57	1450	440	200	KFS620	ANTI-BAC	
60	1525	400	180	KFS622	ANTI-BAC	
63	1600	400	180	KFS624	ANTI-BAC	
66	1675	400	180	KFS626	ANTI-BAC	
69	1750	330	150	KFS628	ANTI-BAC	
72	1825	330	150	KFS630	ANTI-BAC	
75	1900	260	120	KFS632	ANTI-BAC	
78	1975	240	110	KFS634	ANTI-BAC	



TURQUOISE POLYETHYLENE SLATS




Including 4 connecting plastic clips to the frames

Display Shelves

Shelf Polyethylene Slats for Display Shelving

Length (L)		Load Capacity (w.e.d.)		Width (W) 24" - 600 mm		
in.	mm	lb	kg	P/N	Price	Description
16	400	550	250	KFD592		Display shelving (HD-PE) with fall arresting bar 24"x 16" (600x400 mm)
19	475	550	250	KFD594		Display shelving (HD-PE) with fall arresting bar 24"x 19" (600x475 mm)
22	550	550	250	KFD596		Display shelving (HD-PE) with fall arresting bar 24"x 22" (600x550 mm)
25	625	550	250	KFD598		Display shelving (HD-PE) with fall arresting bar 24"x 25" (600x625 mm)
28	700	550	250	KFD600		Display shelving (HD-PE) with fall arresting bar 24"x 28" (600x700 mm)
31	775	550	250	KFD602		Display shelving (HD-PE) with fall arresting bar 24"x 31" (600x775 mm)
34	850	550	250	KFD604		Display shelving (HD-PE) with fall arresting bar 24"x 34" (600x850 mm)
37	925	530	240	KFD606		Display shelving (HD-PE) with fall arresting bar 24"x 37" (600x925 mm)
39	1000	530	240	KFD608		Display shelving (HD-PE) with fall arresting bar 24"x 39" (600x1000 mm)
42	1075	485	220	KFD610		Display shelving (HD-PE) with fall arresting bar 24"x 42" (600x1025 mm)
45	1150	485	220	KFD612		Display shelving (HD-PE) with fall arresting bar 24"x 45" (600x1150 mm)
48	1225	485	220	KFD614		Display shelving (HD-PE) with fall arresting bar 24"x 48" (600x1225 mm)
51	1300	440	200	KFD616		Display shelving (HD-PE) with fall arresting bar 24"x51" (600x1300 mm)
54	1375	440	200	KFD618		Display shelving (HD-PE) with fall arresting bar 24"x54" (600x1375 mm)
57	1450	440	200	KFD620		Display shelving (HD-PE) with fall arresting bar 24"x57" (600x1450 mm)
60	1525	400	180	KFD622		Display shelving (HD-PE) with fall arresting bar 24"x60" (600x1525 mm)
63	1600	400	180	KFD624		Display shelving (HD-PE) with fall arresting bar 24"x63" (600x1600 mm)
66	1675	400	180	KFD626		Display shelving (HD-PE) with fall arresting bar 24"x66" (600x1675 mm)

LIGHT GRAY POLYETHYLENE SLATS




Including 4 connecting plastic clips to the frames




Integration Frame

Central Aluminum Integration Frame





Height (H)		Portata (c.u.d.)		Width (W) 5" - 130 mm		Width (W) 7½" - 195 mm		Width (W) 11" - 280 mm	
in.	mm	lb	kg	P/N	Price	P/N	Price	P/N	Price
37	950	2200	1000	KIS091		KIS092		KIS093	
49	1250	2200	1000	KIS121		KIS122		KIS123	
61	1550	2200	1000	KIS151		KIS152		KIS153	
67	1700	2200	1000	KIS171		KIS172		KIS173	
73	1850	2200	1000	KIS181		KIS182		KIS183	
79	2000	2200	1000	KIS201		KIS202		KIS203	
85	2150	2200	1000	KIS211		KIS212		KIS213	
96	2450	2200	1000	KIS241		KIS242		KIS243	





Complete with adjustable base, cap and matching frame brackets





Width +150



Width +225



Width +300




TOPSeries

Frame With Side Panel



Aluminium Terminal Frame With Side Panel

Height (H)		Portata (c.u.d.)		Width (W) 12" - 300 mm		Width (W) 15" - 375 mm		Width (W) 18" - 450 mm		Width (W) 21" - 525 mm		Width (W) 24" - 600 mm	
in.	mm	lb	kg	P/N	Price	P/N	Price	P/N	Price	P/N	Price	P/N	Price
37	950	2200	1000	KTC290		KTC365		KTC440		KTC515		KTC590	
49	1250	2200	1000	KTC294		KTC369		KTC444		KTC519		KTC594	
61	1550	2200	1000	KTC298		KTC373		KTC448		KTC523		KTC598	
67	1700	2200	1000	KTC300		KTC375		KTC450		KTC525		KTC600	
73	1850	2200	1000	KTC301		KTC376		KTC451		KTC526		KTC601	
79	2000	2200	1000	KTC302		KTC377		KTC452		KTC527		KTC602	
85	2150	2200	1000	KTC303		KTC378		KTC453		KTC528		KTC603	




Aluminium Central Frame With Side Panel

Height (H)		Portata (c.u.d.)		Width (W) 12" - 300 mm		Width (W) 15" - 375 mm		Width (W) 18" - 450 mm		Width (W) 21" - 525 mm		Width (W) 24" - 600 mm	
in.	mm	lb	kg	P/N	Price	P/N	Price	P/N	Price	P/N	Price	P/N	Price
37	950	2200	1000	KCC290		KCC365		KCC440		KCC515		KCC590	
49	1250	2200	1000	KCC294		KCC369		KCC444		KCC519		KCC594	
61	1550	2200	1000	KCC298		KCC373		KCC448		KCC523		KCC598	
67	1700	2200	1000	KCC300		KCC375		KCC450		KCC525		KCC600	
73	1850	2200	1000	KCC301		KCC376		KCC451		KCC526		KCC601	
79	2000	2200	1000	KCC302		KCC377		KCC452		KCC527		KCC602	
85	2150	2200	1000	KCC303		KCC378		KCC453		KCC528		KCC603	

Complete with adjustable base, cap and side panels




Hanging Bars



Inner Uprights Hanging Bars

Length (L)		P/N	Price	Length (L)		P/N	Price
in.	mm			in.	mm		
15¾"	400	KFG004		48¾"	1225	KFG015	
18¾"	475	KFG005		51"	1300	KFG016	
21½"	550	KFG006		54"	1375	KFG017	
24½"	625	KFG007		57"	1450	KFG018	
27½"	700	KFG008		60"	1525	KFG019	
30½"	775	KFG009		63"	1600	KFG020	
33½"	850	KFG010		66"	1675	KFG021	
36½"	925	KFG011		68¾"	1750	KFG022	
39½"	1000	KFG012		72"	1825	KFG023	
42½"	1075	KFG013		74¾"	1900	KFG024	
45¼"	1150	KFG014		77¾"	1975	KFG025	



Inner Frames Hanging Bars

Length (L)		P/N	Price	Length (L)		P/N	Price
in.	mm			in.	mm		
15¾"	400	KFGL04		48¾"	1225	KFGL15	
18¾"	475	KFGL05		51"	1300	KFGL16	
21½"	550	KFGL06		54"	1375	KFGL17	
24½"	625	KFGL07		57"	1450	KFGL18	
27½"	700	KFGL08		60"	1525	KFGL19	
30½"	775	KFGL09		63"	1600	KFGL20	
33½"	850	KFGL10		66"	1675	KFGL21	
36½"	925	KFGL11		68¾"	1750	KFGL22	
39½"	1000	KFGL12		72"	1825	KFGL23	
42½"	1075	KFGL13		74¾"	1900	KFGL24	
45¼"	1150	KFGL14		77¾"	1975	KFGL25	



"S" Shaped Hook

P/N	Description	Price
SPX313	"S" shaped stainless steel hook H 6¼" (160 mm), Ø¼" (6 mm), for hanging bars	

Polyethylene Hook

P/N	Description	Price
SPX300	Polyethylene hook, 110 lbs. (50 kg) load capacity, for hanging bars	

Fall Arresting Bars



Longitudinal Fall Arresting Bar Heavy Duty

Length(L) in. mm	P/N	Price	Length(L) in. mm	P/N	Price
15¾" 400	KFG004		48¾" 1225	KFG015	
18¾" 475	KFG005		51" 1300	KFG016	
21½" 550	KFG006		54" 1375	KFG017	
24½" 625	KFG007		57" 1450	KFG018	
27½" 700	KFG008		60" 1525	KFG019	
30½" 775	KFG009		63" 1600	KFG020	
33½" 850	KFG010		66" 1675	KFG021	
36½" 925	KFG011		68¾" 1750	KFG022	
39½" 1000	KFG012		72" 1825	KFG023	
42½" 1075	KFG013		74¾" 1900	KFG024	
45¾" 1150	KFG014		77¾" 1975	KFG025	



Longitudinal Fall Arresting Bar Fast




Length(L) in. mm	P/N	Price	Length(L) in. mm	P/N	Price
15¾" 400	KFGR04		48¾" 1225	KFGR15	
18¾" 475	KFGR05		51" 1300	KFGR16	
21½" 550	KFGR06		54" 1375	KFGR17	
24½" 625	KFGR07		57" 1450	KFGR18	
27½" 700	KFGR08		60" 1525	KFGR19	
30½" 775	KFGR09		63" 1600	KFGR20	
33½" 850	KFGR10		66" 1675	KFGR21	
36½" 925	KFGR11		68¾" 1750	KFGR22	
39½" 1000	KFGR12		72" 1825	KFGR23	
42½" 1075	KFGR13		74¾" 1900	KFGR24	
45¾" 1150	KFGR14		77¾" 1975	KFGR25	



Longitudinal Fall Arresting Bar Light

Length(L) in. mm	P/N	Price	Length (L) in. mm	P/N	Price
15¾" 400	KFGT04		39½" 1000	KFGT12	
18¾" 475	KFGT05		42½" 1075	KFGT13	
21½" 550	KFGT06		45¾" 1150	KFGT14	
24½" 625	KFGT07		48¾" 1225	KFGT15	
27½" 700	KFGT08		51" 1300	KFGT16	
30½" 775	KFGT09		54" 1375	KFGT17	
33½" 850	KFGT10		57" 1450	KFGT18	
36½" 925	KFGT11		60" 1525	KFGT19	

For lengths above 60" (1525 mm) we'll use the other fall arresting bar



Transversal Fall Arresting Bar Heavy Duty

Width (W)	12" - 300 mm	15" - 375 mm	18" - 450 mm	21" - 525 mm	24" - 600 mm
P/N	KFG300	KFG375	KFG450	KFG525	KFG600
Price					

Transversal Fall Arresting Bar Light

Width (W)	12" - 300 mm	15" - 375 mm	18" - 450 mm	21" - 525 mm	24" - 600 mm
P/N	KFGT30	KFGT37	KFGT45	KFGT52	KFGT60
Price					


Divider

Width (W)	12" - 300 mm	15" - 375 mm	18" - 450 mm	21" - 525 mm	24" - 600 mm
P/N	KFDV30	KFDV37	KFDV45	KFDV52	KFDV60
Price					

Only with fall arresting bars



Accessories



Sealing holes sticky labels


P/N	Description	Price
KFSET2	5 sealing holes sticky labels (pack of 10 pcs)	



Dunnage Stand


Width mm (W)	12" - 300 mm	15" - 375 mm	18" - 450 mm	21" - 525 mm	24" - 600 mm
P/N	KFRR30	KFRR37	KFRR45	KFRR52	KFRR60
Price					

Only with shelf H 320 mm from the ground



Weight Distribution Plate

P/N	Descrizione	Prezzo
KFSRC2	Weight distribution plate on floors 100 x 100 x H 4 mm	




Adjustable Base With Floor/Ceiling Pin

P/N	Description	Price
KFBPS2	Adjustable base with floor or ceiling pin (rubber gasket included)	




Special Stainless Steel Base for Maritime Solutions

P/N	Description	Price
KFSEA1	Special stainless steel base for maritime solutions (rubber gasket included)	




Fixing Frames To The Walls

P/N	Description	Price
KFSFP2	Stainless steel bracket for fixing frames to the wall (nuts and bolts not included)	



Wall Mount Clamp Omega For Frames

P/N	Description	Price
KFSFP4	Wall mount clamp omega for frames (hardware not included)	



Matching Frames Bracket

P/N	Descrizione	Price
KFSAS2	Stainless steel matching frame bracket (matched towards depth)	




Sample Kit

P/N	Description	Price
KFCMP1	18½" x 12" x H 12" (470 x 300 x H 300 mm)	

TOPSeries

Accessories



Adhesive Identification PVC tag

P/N	Descrizione	Price
KFET10	Adhesive identification PVC tag 4" x 1" (100 x 25 mm)	
KFET20	Adhesive identification PVC tag 8" x 1" (200 x 25 mm)	
KFET30	Adhesive identification PVC tag 40" x 1" (1000 x 25 mm)	



Foodpans Gastronorm Kit

Shelf type	Width mm (W)									
	12"	Price	15"	Price	18"	Price	21"	Price	24"	Price
POLYETHYLENE										
VENTED ALUMINUM	NOT AVAILABLE		KFGS37		NOT AVAILABLE		NOT AVAILABLE		NOT AVAILABLE	
SOLID ALUMINUM										



Sticky Labels For Slats G/N Gastronorm

P/N	Description	Price
KFGS12	12 sticky labels for slats for GN from 1/1 to 1/9 (2 each slat)	



Hanging Slats

Shelf type	Width mm (W)									
	12"	Price	15"	Price	18"	Price	21"	Price	24"	Price
POLYETHYLENE										
VENTED ALUMINUM	KFEB30		KFEB37		KFEB45		KFEB52		KFEB60	
SOLID ALUMINUM										



"S" Shaped Stainless Steel Hook

P/N	Description	Price
SPX313	"S" shaped stainless steel hook H 6 1/4" (160 mm), Ø 1/4" (6 mm), for hanging bars	



Security Cage

P/N	Description	Price
KFGDS5	Stainless steel security cage 36 1/4" x 24" x H 15 1/2" (920 x 600x H 390 mm) - Lock not included	



Trays Holder


P/N	Description	Price
KFMPV5	Aluminum / Stainless steel GN trays holder 15 3/4" x 24" x H 15" (410 x 600x H 390 mm)	



Aluminum Benches

As per food safety requirements, nothing should be stored on the floor for easy cleaning. Benches are the perfect solution to this need.

Benches, like our shelving, are modular and they come as combination of pair of frames and plastic shelf.




Pair of Frames For Aluminum Benches

Height tot 13 3/4" 350 mm	Width mm (W)				
	12" - 300 mm	15" - 375 mm	18" - 450 mm	21" - 525 mm	24" - 600 mm
P/N	KFB300	KFB375	KFB450	KFB525	KFB600
Price					

Vented Aluminum Shelf with Plastic Slats

Length (L)		Load Capacity (w.e.d.)		Width (W) 12" - 300 mm		Width (W) 15" - 375 mm		Width (W) 18" - 450 mm		Width (W) 21" - 525 mm		Width (W) 24" - 600 mm	
in.	mm	lb	kg	P/N	Price	P/N	Price	P/N	Price	P/N	Price	P/N	Price
16	400	550	250	KFS292		KFS367		KFS442		KFS517		KFS592	
19	475	550	250	KFS294		KFS369		KFS444		KFS519		KFS594	
22	550	550	250	KFS296		KFS371		KFS446		KFS521		KFS596	
25	625	550	250	KFS298		KFS373		KFS448		KFS523		KFS598	
28	700	550	250	KFS300		KFS375		KFS450		KFS525		KFS600	
31	775	550	250	KFS302		KFS377		KFS452		KFS527		KFS602	
34	850	550	250	KFS304		KFS379		KFS454		KFS529		KFS604	
37	925	530	240	KFS306		KFS381		KFS456		KFS531		KFS606	
39	1000	530	240	KFS308		KFS383		KFS458		KFS533		KFS608	
42	1075	485	220	KFS310		KFS385		KFS460		KFS535		KFS610	
45	1150	485	220	KFS312		KFS387		KFS462		KFS537		KFS612	
48	1225	485	220	KFS314		KFS389		KFS464		KFS539		KFS614	
51	1300	440	200	KFS316		KFS391		KFS466		KFS541		KFS616	
54	1375	440	200	KFS318		KFS393		KFS468		KFS543		KFS618	
57	1450	440	200	KFS320		KFS395		KFS470		KFS545		KFS620	
60	1525	400	180	KFS322		KFS397		KFS472		KFS547		KFS622	
63	1600	400	180	KFS324		KFS399		KFS474		KFS549		KFS624	
66	1675	400	180	KFS326		KFS401		KFS476		KFS551		KFS626	
69	1750	330	150	KFS328		KFS403		KFS478		KFS553		KFS628	
72	1825	330	150	KFS330		KFS405		KFS480		KFS555		KFS630	
75	1900	260	120	KFS332		KFS407		KFS482		KFS557		KFS632	
78	1975	240	110	KFS334		KFS409		KFS484		KFS559		KFS634	

POLYETHYLENE SLATS



Including 4 connecting plastic clips to the frames

For different types of shelves please go to page 17-19.



Dunnage Stand

Width mm	12" - 300 mm	15" - 375 mm	18" - 450 mm	21" - 525 mm	24" - 600 mm
P/N	KFRR30	KFRR37	KFRR45	KFRR52	KFRR60
Price					


Suggested for lengths bigger than 48" (1225 mm)

TOP Series

Mobile Shelving KIT



Total max load capacity is 275 lbs. (125 kg) *
The shelving system increases its height of 5¼" (135 mm) by adding the wheel kit and the rotating wheel.
We recommend using our trolleys at page 55 for higher load capacities.



Wheel Kit With Brakes

P/N	Description	Price
KTRTS5	Kit to accommodate caster wheel P/N RTSCF5	


Bumper Ø 3¾" (95 mm)

P/N	Description	Price
PCSCF5	Rubber bumper Ø 3¾" (95 mm) (optional)	


By adding of the bumper the shelf width increases by 2½" - 60 mm

Resin Rotating Wheel With Brake

P/N	Description	Price
RTSCF5	Resin rotating caster wheel Ø 5" (125 mm) with brake. (Always combined with P/N KTRTS5)	



Max load capacity
275 lbs.
(125 kg)*



* The 275 lbs. (125 kg) load capacity refers to any kind of shelving system where the adjustable base have been replaced with the rotating wheels




Wall Mounted Shelves

Pair Of Terminal Wall Support


Width (W)	12" - 300 mm	15" - 375 mm
P/N	MFB300	MFB375
Price		

Max load capacity
110 lbs.
(50 kg)


POLYETHYLENE SLATS



Including 4 connecting plastic clips to the frames



SOLID ALUMINUM SHELF
WITH ALUMINUM SLATS



Including 4 connecting plastic clips to the frames

Shelf With Plastic Slats


Length (L)		Width (W) 12" - 300 mm		Width (W) 15" - 375 mm	
		P/N	Price	P/N	Price
15 3/4"	400	KFS292		KFS367	
18 3/4"	475	KFS294		KFS369	
21 1/2"	550	KFS296		KFS371	
24 1/2"	625	KFS298		KFS373	
27 1/2"	700	KFS300		KFS375	
30 1/2"	775	KFS302		KFS377	
33 1/2"	850	KFS304		KFS379	
36 1/2"	925	KFS306		KFS381	
39 1/2"	1000	KFS308		KFS383	
42 1/2"	1075	KFS310		KFS385	
45 1/4"	1150	KFS312		KFS387	
48 1/4"	1225	KFS314		KFS389	

Solid Shelf With Aluminum Slats

Length (L)		Width (W) 12" - 300 mm		Width (W) 15" - 375 mm	
		P/N	Price	P/N	Price
15 3/4"	400	KFP292		KFP367	
18 3/4"	475	KFP294		KFP369	
21 1/2"	550	KFP296		KFP371	
24 1/2"	625	KFP298		KFP373	
27 1/2"	700	KFP300		KFP375	
30 1/2"	775	KFP302		KFP377	
33 1/2"	850	KFP304		KFP379	
36 1/2"	925	KFP306		KFP381	
39 1/2"	1000	KFP308		KFP383	
42 1/2"	1075	KFP310		KFP385	
45 1/4"	1150	KFP312		KFP387	
48 1/4"	1225	KFP314		KFP389	

Single Central Wall Support

Width (W)	12" - 300 mm	15" - 375 mm
P/N	MFC300	MFC375
Price		



TOP Series



Shelving Kit

Made of 2 frames and 4 shelves. Overall dimensions are 39" x 15" x H73" (995 x 375 x H1700 mm)
Shelves pitch is fixed.




Shelving Kit

P/N	Dimensions	Price
FS3714	39" x 15" x H73" (995 x 375 x H1700 mm)	




75"
1900 mm

Weight:
16 kg cad



18 pieces each pallet



Fixed shelves pitch

BLACK Series



Load capacity:
up to 550 lb (250 kg) per shelf



Lightweight



Easy to clean



Fast assembly



Temperature range:
from -22°F (-30°C) to +194°F (+90°C)



Flat packaging =
less freight costs



Ideal for cold and freezer rooms –
No frost issues with cardboard boxes



Approved and suitable for
direct food contact



Long Life service



No special tools
needed for assembly



Environmentally friendly all
the way from delivery to use



Simple click-assembly of the shelves,
ensuring ultimate flexibility and strength



Exclusive use of stainless steel
screws - none of them visible



International hygiene
certifications (FCMs; NSF)



NO RUST – 20 micron
anodized aluminum



Length precision < 1¼" (3 cm)



Black Recycled Polyethylene Slats - Fixed Positions Tiers

BLACK Series

BLACK Series Shelving

Special Version

All components of the shelving in BLACK ANTHRACITE

4 Shelves in Fixed Positions
15½" (395 mm) clearance

Shelves Lengths - TONON Standard
22 lengths from 16" to 78" (400 to 1975 mm)

Frame Height - 67" (1700 mm)


Shelf Depth - 18" / 24" (450 / 600 mm)

Terminal Frame

Height (H)		Load Capacity (w.e.d.)		Width (W) 18" - 450 mm		Width (W) 24" - 600 mm	
in.	mm	lb	kg	P/N	Price	P/N	Price
67	1700	2200	1000	KFTN45		KFTN60	


Shelf With Black Plastic Slats

Length (L)		Load Capacity (w.e.d.)		Width (W) 18" - 450 mm		Width (W) 24" - 600 mm	
in.	mm	lb	kg	P/N	Price	P/N	Price
16	400	550	250	KFN442		KFN592	
19	475	550	250	KFN444		KFN594	
22	550	550	250	KFN446		KFN596	
25	625	550	250	KFN448		KFN598	
28	700	550	250	KFN450		KFN600	
31	775	550	250	KFN452		KFN602	
34	850	550	250	KFN454		KFN604	
37	925	530	240	KFN456		KFN606	
39	1000	530	240	KFN458		KFN608	
42	1075	485	220	KFN460		KFN610	
45	1150	485	220	KFN462		KFN612	
48	1225	485	220	KFN464		KFN614	
51	1300	440	200	KFN466		KFN616	
54	1375	440	200	KFN468		KFN618	
57	1450	440	200	KFN470		KFN620	
60	1525	400	180	KFN472		KFN622	
63	1600	400	180	KFN474		KFN624	
66	1675	400	180	KFN476		KFN626	
69	1750	330	150	KFN478		KFN628	
72	1825	330	150	KFN480		KFN630	
75	1900	260	120	KFN482		KFN632	
78	1975	240	110	KFN484		KFN634	



Complete with adjustable base and cap

POLYETHYLENE SLATS
BLACK ANTHRACITE



Including 4 connecting plastic clips to the frames

High Density Shelving System

The high density shelving system allows a better use of the space increasing the storage capacity compared to a standard shelving installation.


Made of 20 micron anodized aluminum, the shelving is rust proof and ideal for cold storage.

Slats are available in polyethylene or aluminum.

Polyethylene is non-toxic, chemical resistant, certified for direct food contact and with low hygroscopic absorption. Slats are removable and dishwasher safe.

All hardware is stainless steel and hidden inside the structure.


The assembly does not require the use of any tool.



Standard Shelving System: 223 sq ft (20.7 mq)

Storage facility
furnished with static
units

Static
vs
Mobile



HD Shelving System: 361½ sq ft (33.6 mq)


Room
 $14\frac{3}{4}' \times 29\frac{1}{2}' = 436 \text{ sq ft}$
 $4,5 \times 9 \text{ m} = 40.5 \text{ m}^2$

At least
60%
more storage capacity

Storage facility furnished
with mobile units



High Density Shelving System - Lower Rail



① Terminal Frame

② Central Frame

③ Vented Shelf

④ Stainless Steel Roller Unit

⑤ Lower Rail




Assembly Video

Aluminum Terminal Frame

Pos.	Height (H)				Width (W)							
	in.	mm	12" 300 mm	Price	15" 375 mm	Price	18" 450 mm	Price	21" 525 mm	Price	24" 600 mm	Price
1	61	1550	KFT298	€ 64,75	KFT373		KFT448		KFT523		KFT598	
	67	1700	KFT300	€ 67,56	KFT375		KFT450		KFT525		KFT600	
	73	1850	KFT301	€ 73,66	KFT376		KFT451		KFT526		KFT601	
	79	2000	KFT302	€ 79,76	KFT377		KFT452		KFT527		KFT602	
	85	2150	KFT303	€ 86,36	KFT378		KFT453		KFT528		KFT603	

Aluminum Central Frame

Pos.	Height (H)				Width mm (W)							
	in.	mm	12" 300 mm	Price	15" 375 mm	Price	18" 450 mm	Price	21" 525 mm	Price	24" 600 mm	Price
2	61	1550	KFC298	€ 64,75	KFC373		KFC448		KFC523		KFC598	
	67	1700	KFC300	€ 67,56	KFC375		KFC450		KFC525		KFC600	
	73	1850	KFC301	€ 73,66	KFC376		KFC451		KFC526		KFC601	
	79	2000	KFC302	€ 79,76	KFC377		KFC452		KFC527		KFC602	
	85	2150	KFC303	€ 86,36	KFC378		KFC453		KFC528		KFC603	




Including caps and adjustable base

Shelf with Polyethylene Slats (Fixed Frame)

Pos.	Length (L)		Width mm (W)									
	in.	mm	12" 300 mm	Price	15" 375 mm	Price	18" 450 mm	Price	21" 525 mm	Price	24" 600 mm	Price
	27½"	700	KFS300		KFS375		KFS450		KFS525		KFS600	
	30½"	775	KFS302		KFS377		KFS452		KFS527		KFS602	
	33½"	850	KFS304		KFS379		KFS454		KFS529		KFS604	
	36½"	925	KFS306		KFS381		KFS456		KFS531		KFS606	
3	39½"	1000	KFS308		KFS383		KFS458		KFS533		KFS608	
	42½"	1075	KFS310		KFS385		KFS460		KFS535		KFS610	
	45½"	1150	KFS312		KFS387		KFS462		KFS537		KFS612	
	48½"	1225	KFS314		KFS389		KFS464		KFS539		KFS614	
	51"	1300	KFS316		KFS391		KFS466		KFS541		KFS616	
	54"	1375	KFS318		KFS393		KFS468		KFS543		KFS618	
	57"	1450	KFS320		KFS395		KFS470		KFS545		KFS620	
	60"	1525	KFS322		KFS397		KFS472		KFS547		KFS622	

For aluminum vented shelves or aluminum solid shelves, please refer to charts at page 12.

POLYETHYLENE SLATS




Including 4 connecting plastic clips to the frames

Shelf with Polyethylene Slats (Mobile Frame)

Pos.	Length (L)		Width mm (W)									
	in.	mm	12" 300 mm	Price	15" 375 mm	Price	18" 450 mm	Price	21" 525 mm	Price	24" 600 mm	Price
	27½"	700					KFS450	€ 42,98	KFS525		KFS600	
	30½"	775					KFS452	€ 44,86	KFS527		KFS602	
	33½"	850					KFS454	€ 47,84	KFS529		KFS604	
	36½"	925					KFS456	€ 49,73	KFS531		KFS606	
3	39½"	1000					KFS458	€ 52,56	KFS533		KFS608	
	42½"	1075					KFS460	€ 54,69	KFS535		KFS610	
	45½"	1150					KFS462	€ 58,09	KFS537		KFS612	
	48½"	1225					KFS464	€ 60,23	KFS539		KFS614	
	51"	1300					KFS466	€ 62,49	KFS541		KFS616	
	54"	1375					KFS468	€ 65,22	KFS543		KFS618	
	57"	1450					KFS470	€ 67,27	KFS545		KFS620	
	60"	1525					KFS472	€ 69,72	KFS547		KFS622	

For aluminum vented shelves or aluminum solid shelves, please refer to charts at page 12.


POLYETHYLENE SLATS



Including 4 connecting plastic clips to the frames


Stainless Steel Roller Unit

Pos.	P/N	Description	Price
4	BS45HD	Stainless steel roller unit width 18" (450 mm)	
	BS52HD	Stainless steel roller unit width 21" (525 mm)	
	BS60HD	Stainless steel roller unit width 24" (600 mm)	



Aluminum Lower Rail

Pos.	P/N	Description	Price
5	SGP8HD	2 bars rail 26" / 13" + 13" (8 m / 4 + 4m)	
	SGPMHD	Tailor made rail	




ADDITIONAL LOWER RAIL FIXING

In case you want to further secure the lower rail, you can order the end stops P/N 2AGPHD (pack of 2)




High Density Shelving System - Upper Rail

The High Density Shelving System with upper rail has the same features as the standard High Density system without any impediment on the ground. It is fully customizable in length, width and height. The high density shelving system with upper rail main features are the incredible strength and great load capacity.




- | | |
|--|--------------------------------|
| 1 Fixed terminal frame | 5 Mobile terminal frame |
| 2 Fixed central frame | 6 Mobile central frame |
| 3 Fixed intermediate terminal frame | 7 Vented shelf |
| 4 Fixed intermediate central frame | 8 Upper rail |



High Density Shelving System Fixed Frames with Upper Rail

Pos.	P/N	Description	Price
1	SFT300	Terminal fixed frame H 96" - W 12" (H 2450 - W 300 mm)	
	SFT375	Terminal fixed frame H 96" - W 15" (H 2450 - W 375 mm)	
	SFT450	Terminal fixed frame H 96" - W 18" (H 2450 - W 450 mm)	
	SFT525	Terminal fixed frame H 96" - W 21" (H 2450 - W 525 mm)	
	SFT600	Terminal fixed frame H 96" - W 24" (H 2450 - W 600 mm)	
2	SFC300	Central fixed frame H 96" - W 12" (H 2450 - W 300 mm)	
	SFC375	Central fixed frame H 96" - W 15" (H 2450 - W 375 mm)	
	SFC450	Central fixed frame H 96" - W 18" (H 2450 - W 450 mm)	
	SFC525	Central fixed frame H 96" - W 21" (H 2450 - W 525 mm)	
	SFC600	Central fixed frame H 96" - W 24" (H 2450 - W 600 mm)	
3	SFTI30	Terminal intermediate fixed frame H 96" - W 12" (H 2450 - W 300 mm)	
	SFTI37	Terminal intermediate fixed frame H 96" - W 15" (H 2450 - W 375 mm)	
	SFTI45	Terminal intermediate fixed frame H 96" - W 18" (H 2450 - W 450 mm)	
	SFTI52	Terminal intermediate fixed frame H 96" - W 21" (H 2450 - W 525 mm)	
	SFTI60	Terminal intermediate fixed frame H 96" - W 24" (H 2450 - W 600 mm)	
4	SFCI30	Central intermediate fixed frame H 96" - W 12" (H 2450 - W 300 mm)	
	SFCI37	Central intermediate fixed frame H 96" - W 15" (H 2450 - W 375 mm)	
	SFCI45	Central intermediate fixed frame H 96" - W 18" (H 2450 - W 450 mm)	
	SFCI52	Central intermediate fixed frame H 96" - W 21" (H 2450 - W 525 mm)	
	SFCI60	Central intermediate fixed frame H 96" - W 24" (H 2450 - W 600 mm)	


SPECIAL DIMENSIONS AVAILABLE ON REQUEST



High Density Shelving System Mobile Frames with Upper Rail

Pos.	P/N	Description	Price
5	SMT450	Terminal mobile frame H 79" - W 18" (H 2000 - W 450 mm)	
	SMT525	Terminal mobile frame H 79" - W 21" (H 2000 - W 525 mm)	
	SMT600	Terminal mobile frame H 79" - W 24" (H 2000 - W 600 mm)	
6	SMC450	Central mobile frame H 79" - W 18" (H 2000 - W 450 mm)	
	SMC525	Central mobile frame H 79" - W 21" (H 2000 - W 525 mm)	
	SMC600	Central mobile frame H 79" - W 24" (H 2000 - W 600 mm)	

Special dimensions available by request




Ripiano con Doghe in Polietilene

Pos.	Length (L)		For fixed units only		For fixed and mobile units					
			Width (W)		Width (W)		Width (W)		Width (W)	
	in.	mm	12"	Price	15"	Price	18"	Price	21"	Price
	27½"	700	KFS300		KFS375		KFS450		KFS525	
	30½"	775	KFS302		KFS377		KFS452		KFS527	
	33½"	850	KFS304		KFS379		KFS454		KFS529	
	36½"	925	KFS306		KFS381		KFS456		KFS531	
	39½"	1000	KFS308		KFS383		KFS458		KFS533	
7	42½"	1075	KFS310		KFS385		KFS460		KFS535	
	45½"	1150	KFS312		KFS387		KFS462		KFS537	
	48½"	1225	KFS314		KFS389		KFS464		KFS539	
	51"	1300	KFS316		KFS391		KFS466		KFS541	
	54"	1375	KFS318		KFS393		KFS468		KFS543	
	57"	1450	KFS320		KFS395		KFS470		KFS545	
	60"	1525	KFS322		KFS397		KFS472		KFS547	

For aluminium vented shelves or aluminium solid shelves, please refer to charts at page 17-19


POLYETHYLENE SLATS



Including 4 connecting plastic clips to the frames

Upper Rail

Pos.	P/N	Description	Price
8	S90MCP	Aluminum tailor made upper rail H 3½" (90 mm)	




KIT for Trolleys

Pair of Frames for Trolley H 41½" (H 1050 mm) Load capacity 275 lb (125 kg) / max 3 tiers

P/N	H	L1	L2	W1	W2	Price
SR1037	41½" (1050 mm)	L + 2¾" (70 mm)	L + 4" (100 mm)	15" (375 mm)	16" (405 mm)	
SR1045	41½" (1050 mm)	L + 2¾" (70 mm)	L + 4" (100 mm)	18" (450 mm)	19" (480 mm)	
SR1052	41½" (1050 mm)	L + 2¾" (70 mm)	L + 4" (100 mm)	21" (525 mm)	21¾" (555 mm)	
SR1060	41½" (1050 mm)	L + 2¾" (70 mm)	L + 4" (100 mm)	24" (600 mm)	24¾" (630 mm)	

"L" refers to the shelf chart here below

275 lbs.
(125 kg)
load
capacity




Equipped with wheels with brakes,
optional bumper

Pair of Frames for Trolley H 71" - H 1800 mm Load capacity 550 lb (250 kg) / max 4 tiers

P/N	H	L1	L2	W1	W2	Price
SR1837	71" (1800 mm)	L + 2¾" (70 mm)	L + 4" (100 mm)	15" (375 mm)	16" (405 mm)	
SR1845	71" (1800 mm)	L + 2¾" (70 mm)	L + 4" (100 mm)	18" (450 mm)	19" (480 mm)	
SR1852	71" (1800 mm)	L + 2¾" (70 mm)	L + 4" (100 mm)	21" (525 mm)	21¾" (555 mm)	
SR1860	71" (1800 mm)	L + 2¾" (70 mm)	L + 4" (100 mm)	24" (600 mm)	24¾" (630 mm)	

"L" refers to the shelf chart here below

550 lbs.
(250 kg)
load
capacity




Equipped with wheels with brakes
and rubber bumper

Vented Aluminum Shelf with Plastic Slats

Length (L)		Load Capacity (e.d.w.)		Width (W) 12" - 300 mm		Width (W) 15" - 375 mm		Width (W) 18" - 450 mm		Width (W) 21" - 525 mm		Width (W) 24" - 600 mm	
in.	mm	lb	kg	P/N	Price	P/N	Price	P/N	Price	P/N	Price	P/N	Price
16	400	550	250	KFS292		KFS367		KFS442		KFS517		KFS592	
19	475	550	250	KFS294		KFS369		KFS444		KFS519		KFS594	
22	550	550	250	KFS296		KFS371		KFS446		KFS521		KFS596	
25	625	550	250	KFS298		KFS373		KFS448		KFS523		KFS598	
28	700	550	250	KFS300		KFS375		KFS450		KFS525		KFS600	
31	775	550	250	KFS302		KFS377		KFS452		KFS527		KFS602	
34	850	550	250	KFS304		KFS379		KFS454		KFS529		KFS604	
37	925	530	240	KFS306		KFS381		KFS456		KFS531		KFS606	
39	1000	530	240	KFS308		KFS383		KFS458		KFS533		KFS608	
42	1075	485	220	KFS310		KFS385		KFS460		KFS535		KFS610	
45	1150	485	220	KFS312		KFS387		KFS462		KFS537		KFS612	
48	1225	485	220	KFS314		KFS389		KFS464		KFS539		KFS614	
51	1300	440	200	KFS316		KFS391		KFS466		KFS541		KFS616	
54	1375	440	200	KFS318		KFS393		KFS468		KFS543		KFS618	
57	1450	440	200	KFS320		KFS395		KFS470		KFS545		KFS620	
60	1525	400	180	KFS322		KFS397		KFS472		KFS547		KFS622	
63	1600	400	180	KFS324		KFS399		KFS474		KFS549		KFS624	
66	1675	400	180	KFS326		KFS401		KFS476		KFS551		KFS626	
69	1750	330	150	KFS328		KFS403		KFS478		KFS553		KFS628	
72	1825	330	150	KFS330		KFS405		KFS480		KFS555		KFS630	
75	1900	260	120	KFS332		KFS407		KFS482		KFS557		KFS632	
78	1975	240	110	KFS334		KFS409		KFS484		KFS559		KFS634	

For different types of shelves please go to page 17-19.

POLYETHYLENE SLATS



Including 4 connecting
plastic clips to the frames


Fall Arresting Bar Kit for Trolleys

P/N	Description	Price
MANY	Fall arresting bar kit for trolleys	Page 39


Bumper Ø3¾" (Ø 95 mm)

P/N	Description	Price
PCSCF5	Rubber bumper Ø 3¾" (95 mm) (optional)	


* When used, the rubber bumper increases L2 / W2 of 1" (30 mm)




LONGITUDINAL




TRANSVERSAL



TOP Series



**FIXED DISTANCE
BETWEEN SHELVES**




Hanging Bar Trolley H71" (H 1800 mm)

Designed to combine lightweight and ease of handling with strength. The Trolley is rust proof, made of 20 micron anodized aluminum with 4 caster wheels with brakes and rubber bumpers. Ideal for cold cuts.

Pair of Frames for Trolley H 71" - H 1800 mm Load capacity 550 lb (250 kg) / max 4 tiers

P/N	H	L1	L2	W1	W2	Price
SR1837	71" (1800 mm)	L + 2¾" (70 mm)	L + 4" (100 mm)	15" (375 mm)	16" (405 mm)	
SR1845	71" (1800 mm)	L + 2¾" (70 mm)	L + 4" (100 mm)	18" (450 mm)	19" (480 mm)	
SR1852	71" (1800 mm)	L + 2¾" (70 mm)	L + 4" (100 mm)	21" (525 mm)	21¾" (555 mm)	
SR1860	71" (1800 mm)	L + 2¾" (70 mm)	L + 4" (100 mm)	24" (600 mm)	24¾" (630 mm)	


"L" refers to the shelf chart here below



Equipped with wheels with brakes and rubber bumper

Vented Aluminum Shelf with Plastic Slats



Length (L)		Load Capacity (e.d.w.)		Width (W) 18" - 450 mm		Width (W) 21" - 525 mm		Width (W) 24" - 600 mm	
in.	mm	lb	kg	P/N	Price	P/N	Price	P/N	Price
16	400	550	250	KFS442		KFS517		KFS592	
19	475	550	250	KFS444		KFS519		KFS594	
22	550	550	250	KFS446		KFS521		KFS596	
25	625	550	250	KFS448		KFS523		KFS598	
28	700	550	250	KFS450		KFS525		KFS600	
31	775	550	250	KFS452		KFS527		KFS602	
34	850	550	250	KFS454		KFS529		KFS604	
37	925	530	240	KFS456		KFS531		KFS606	
39	1000	530	240	KFS458		KFS533		KFS608	
42	1075	485	220	KFS460		KFS535		KFS610	
45	1150	485	220	KFS462		KFS537		KFS612	



Including 4 connecting plastic clips to the frames



Inner Uprights Hanging Bars

Length (L)		P/N	Price
in.	mm		
27½"	700	KFG008	
30½"	775	KFG009	
33½"	850	KFG010	
36½"	925	KFG011	
39½"	1000	KFG012	
42½"	1075	KFG013	
45¼"	1150	KFG014	



Inner Frames Hanging Bars

Length (L)		P/N	Price
in.	mm		
27½"	700	KFGL08	
30½"	775	KFGL09	
33½"	850	KFGL10	
36½"	925	KFGL11	
39½"	1000	KFGL12	
42½"	1075	KFGL13	
45¼"	1150	KFGL14	



TOP Series

Display Trolley H67" (H 1700 mm)




Display trolleys can be customized based on customer specific needs.
Standard height: 67" (1700 mm) | Load capacity: 275 lbs. (125 kg)


Frame Kit for Display Trolleys H 67" (1700 mm)
Load capacity 275 lb (125 kg)

P/N	H	L1	L2	W1	W2	Price
SR1560	67" (1700 mm)	L + 2¾" (70 mm)	L + 5" (125 mm)	23¾" (605 mm)	24¾" (630 mm)	

"L" refers to the shelf chart here below




275 lbs.
(125 kg)
load
capacity



Equipped with wheels with brakes,
rubber bumper optional

Shelf Polyethylene Spats for Display System

Length (L)		Load Capacity (e.d.w.)		Width (W) 24" - 600 mm		P/N	Price	Description
in.	mm	lb	kg					
16	400	550	250	KFD592				Display shelving (HD-PE) with fall arresting bar 24"x 16" (600x400 mm)
19	475	550	250	KFD594				Display shelving (HD-PE) with fall arresting bar 24"x 19" (600x475 mm)
22	550	550	250	KFD596				Display shelving (HD-PE) with fall arresting bar 24"x 22" (600x550 mm)
25	625	550	250	KFD598				Display shelving (HD-PE) with fall arresting bar 24"x 25" (600x625 mm)
28	700	550	250	KFD600				Display shelving (HD-PE) with fall arresting bar 24"x 28" (600x700 mm)
31	775	550	250	KFD602				Display shelving (HD-PE) with fall arresting bar 24"x 31" (600x775 mm)
34	850	550	250	KFD604				Display shelving (HD-PE) with fall arresting bar 24"x 34" (600x850 mm)
37	925	530	240	KFD606				Display shelving (HD-PE) with fall arresting bar 24"x 37" (600x925 mm)
39	1000	530	240	KFD608				Display shelving (HD-PE) with fall arresting bar 24"x 39" (600x1000 mm)
42	1075	485	220	KFD610				Display shelving (HD-PE) with fall arresting bar 24"x 42" (600x1025 mm)
45	1150	485	220	KFD612				Display shelving (HD-PE) with fall arresting bar 24"x 45" (600x1150 mm)
48	1225	485	220	KFD614				Display shelving (HD-PE) with fall arresting bar 24"x 48" (600x1225 mm)
51	1300	440	200	KFD616				Display shelving (HD-PE) with fall arresting bar 24"x 51" (600x1300 mm)
54	1375	440	200	KFD618				Display shelving (HD-PE) with fall arresting bar 24"x 54" (600x1375 mm)
57	1450	440	200	KFD620				Display shelving (HD-PE) with fall arresting bar 24"x 57" (600x1450 mm)
60	1525	400	180	KFD622				Display shelving (HD-PE) with fall arresting bar 24"x 60" (600x1525 mm)
63	1600	400	180	KFD624				Display shelving (HD-PE) with fall arresting bar 24"x 63" (600x1600 mm)
66	1675	400	180	KFD626				Display shelving (HD-PE) with fall arresting bar 24"x 66" (600x1675 mm)



Including 4 connecting plastic clips
to the frames



ONE Series



Load capacity:
up to 550 lb (250 kg) per shelf



Lightweight



Temperature range:
from -22°F (-30°C) to +194°F (+90°C)



For cold and freezer rooms



Easy to clean



Flat packaging = less freight costs



Fast assembly



International
certifications (NSF)



No special tools
needed for assembly



Long Life service



NO RUST – 10 micron
anodized aluminum



Plastic slats made from
recycled polyethylene



Simple click-assembly of the shelves,
ensuring ultimate flexibility and strength



Exclusive use of galvanized steel
screws - none of them visible

ONE Series




3 FRAME HEIGHTS
1550 - 1850 - 2150 mm
61" - 73" - 85"

2 SHELF WIDTHS
450 - 600 mm
18" - 24"

5 SHELF LENGTHS
850 - 1000 - 1150 - 1300 - 1450 mm
33" - 39" - 45" - 51" - 57"

H61" (1550 mm) - 3 TIERS



STARTER UNIT


Height (H)	Width (W)	Width (W)
1550 mm 61"	450 mm 18"	600 mm 24"
Overall Length	3 Shelves	
920 mm 36 1/4"	OST413	OST613
1070 mm 42"	OST423	OST623
1220 mm 48"	OST433	OST633
1370 mm 54"	OST443	OST643
1520 mm 60"	OST453	OST653

ADD-ON UNIT

Height (H)	Width (W)	Width (W)
1550 mm 61"	450 mm 18"	600 mm 24"
Overall Length	3 Shelves	
885 mm 34 3/4"	OAD413	OAD613
1035 mm 40 3/4"	OAD423	OAD623
1185 mm 46 1/2"	OAD433	OAD633
1335 mm 52 1/2"	OAD443	OAD643
1485 mm 58 1/2"	OAD453	OAD653



H73" (1850 mm) - 4 TIERS



STARTER UNIT


Height (H)	Width (W)	Width (W)
1850 mm 73"	450 mm 18"	600 mm 24"
Overall Length	4 Shelves	
920 mm 36 1/4"	OST414	OST614
1070 mm 42"	OST424	OST624
1220 mm 48"	OST434	OST634
1370 mm 54"	OST444	OST644
1520 mm 60"	OST454	OST654

ADD-ON UNIT

Height (H)	Width (W)	Width (W)
1850 mm 73"	450 mm 18"	600 mm 24"
Overall Length	4 Shelves	
885 mm 34 3/4"	OAD414	OAD614
1035 mm 40 3/4"	OAD424	OAD624
1185 mm 46 1/2"	OAD434	OAD634
1335 mm 52 1/2"	OAD444	OAD644
1485 mm 58 1/2"	OAD454	OAD654



H85" (2150 mm) - 5 TIERS




STARTER UNIT

Height (H)	Width (W)	Width (W)
2150 mm 85"	450 mm 18"	600 mm 24"
Overall Length	5 Shelves	
920 mm 36 1/4"	OST415	OST615
1070 mm 42"	OST425	OST625
1220 mm 48"	OST435	OST635
1370 mm 54"	OST445	OST645
1520 mm 60"	OST455	OST655

ADD-ON UNIT

Height (H)	Width (W)	Width (W)
2150 mm 85"	450 mm 18"	600 mm 24"
Overall Length	5 Shelves	
885 mm 34 3/4"	OAD415	OAD615
1035 mm 40 3/4"	OAD425	OAD625
1185 mm 46 1/2"	OAD435	OAD635
1335 mm 52 1/2"	OAD445	OAD645
1485 mm 58 1/2"	OAD455	OAD655



Aluminum Tray Trolleys

Lightweight, Robust, Modular and Stainless.

Our tray trolley has been studied and conceived to satisfy the multiple needs that that you may experience in local self-service as well as in large hotels every day.

It consists of a sturdy supporting structure in light alloy protected against corrosion (anodized 20 microns).

The Tray Trolley comes always with side panels, made of composite aluminum HQ, available in 8 different colours, all with gloss or matt finishing.

The trays are placed in stainless steel racks made of rods or "L" shape.

The span between the supports can be 3", 4", 5", 6", 7" (75, 100, 125, 150, 175 mm) or custom made.

The Tray Trolley can accommodate GN, EN, UN, Trapezoidal or special trays, from 7 to a maximum of 32 trays, with 1 or 2 trays per support.

Wheels are made of galvanized steel, rotating and with bumpers; two of them are equipped with a brake. Total load capacity of Tonon's tray trolley is 260 lbs. (120 kg).

Total height of the tray trolley is 66" (1680 mm).

If our standard configurations don't satisfy your needs, we can always study a customized solution to suit your need.

Accessories

Top panel with fall arresting bars.

Back panel with fixing parts.

Bottom panel.

Resin or foamed polyurethane wheels.

Custom panel print.

Pair of handles made of impact-resistant resin.

AVAILABLE PANEL COLOURS


	RAL 9016 White Gloss / Matt		RAL 9005 Black Gloss / Matt		RAL 1023 Yellow Gloss / Matt		RAL 3020 Red Gloss / Matt
	RAL 6005 Green Gloss / Matt		RAL 5002 Blue Gloss / Matt		RAL 9006 / 9016 Silver / White Matt / Matt		




Stainless Steel Rod

One Compartment Tray Trolleys

H 66" (H 1680 mm)



ONE COMPARTMENT
ONE TRAY EACH TIER



ONE COMPARTMENT
TWO TRAYS EACH TIER

One Compartment Trolley H66" (H 1680 mm) with One Tray Each Tier


Tray Disposal	Tray Model	N° Max Trays	Trays Span (s)	Trolley Dimensions (a) x (b)	Packaging Dimensions	Weight lbs	Weight kg	Volume (sq ft)	Volume (m³)	Rod P/N	Price
	GN 20¾" x 12¾" 530 x 325 mm	14	7" (175 mm)	18" x 27" H 66"	18" x 28" x H 9"	49.5	22.5	3	0.28	GZ07N0	
		16	6" (150 mm)			50.7	23	3	0.28	GZ08N1	
		20	5" (125 mm)			52.9	24	3	0.28	GZ10N2	
		24	4" (100 mm)			55.1	25	3	0.28	GZ12N3	
		32	3" (75 mm)			59.5	27	3	0.28	GZ16N4	
	EN 20¾" x 14½" 530 x 370 mm	14	7" (175 mm)	20" x 27" H 66"	18" x 28" x H 9"	49.6	22.5	3	0.28	EZ07N0	
		16	6" (150 mm)			50.7	23	3	0.28	EZ08N1	
		20	5" (125 mm)			52.9	24	3	0.28	EZ10N2	
		24	4" (100 mm)			55.1	25	3	0.28	EZ12N3	
		32	3" (75 mm)			59.5	25	3	0.28	EZ16N4	

One Compartment Trolley H66" (H 1680 mm) with Two Trays Each Tier


Tray Disposal	Tray Model	N° Max Trays	Trays Span (s)	Trolley Dimensions (a) x (b)	Packaging Dimensions	Weight lbs	Weight kg	Volume (sq ft)	Volume (m³)	Rod P/N	Price
	GN 20¾" x 12¾" 530 x 325 mm	14	7" (175 mm)	26" x 32" H 66"	18" x 33½" x H 9"	56.2	25.5	3½	0.34	GZ14N5	
		16	6" (150 mm)			57.3	26	3½	0.34	GZ16N6	
		20	5" (125 mm)			59.5	27	3½	0.34	GZ20N7	
		24	4" (100 mm)			61.7	28	3	0.28	GZ24N8	
		32	3" (75 mm)			66.1	30	3½	0.34	GZ32N9	
	EN 20¾" x 14½" 530 x 370 mm	14	7" (175 mm)	26" x 36" H 66"	18" x 37" x H 9"	56.2	25.5	4	0.37	EZ14N5	
		16	6" (150 mm)			57.3	26.5	4	0.37	EZ16N6	
		20	5" (125 mm)			59.5	27.5	4	0.37	EZ20N7	
		24	4" (100 mm)			61.7	28.5	4	0.37	EZ24N8	
		32	3" (75 mm)			66.1	30.5	4	0.37	EZ32N9	
	UN 18" x 14" 457 x 356 mm	14	7" (175 mm)	23½" x 36" H 66"	18" x 37" x H 9"	56.2	25.5	4	0.37	UZ14N0	
		16	6" (150 mm)			57.3	26	4	0.37	UZ16N1	
		20	5" (125 mm)			59.5	27	4	0.37	UZ20N2	
		24	4" (100 mm)			61.7	28	4	0.37	UZ24N3	
		32	3" (75 mm)			66.1	30	4	0.37	UZ32N4	

Two Compartments Tray Trolleys

H 66" (H 1680 mm)



**TWO COMPARTMENTS
ONE TRAY EACH TIER**



**TWO COMPARTMENTS
TWO TRAYS EACH TIER**

Two Compartments Trolley H66" (H 1680 mm) with One Tray Each Tier


Tray Disposal	Tray Model	N° Max Trays	Trays Span (s)	Trolley Dimensions	Packaging Dimensions	Weight lbs	Weight kg	Volume (sq ft)	Volume (m³)	Rod P/N	Price
	GN 20¾" x 12¾" 530 x 325 mm	14	7" (175 mm)	(a) x (b) 33" x 27" H 66"	Two boxes 18" x 28" x H 9"	80.5	36.5	6.02	0.56	GZ14N1	
		16	6" (150 mm)			82.6	37.5	6.02	0.56	GZ16N2	
		20	5" (125 mm)			87	39.5	6.02	0.56	GZ20N3	
		24	4" (100 mm)	830 x 680 H 1680 mm	1730 x 710 H230 mm	91.4	41.5	6.02	0.56	GZ24N4	
		32	3" (75 mm)			100.3	45.5	6.02	0.56	GZ32N5	
	EN 20¾" x 14½" 530 x 370 mm	14	7" (175 mm)	(a) x (b) 36" x 27" H 66"	Two boxes 18" x 28" x H 9"	81.5	37	6.02	0.56	EZ14N1	
		16	6" (150 mm)			83.7	38	6.02	0.56	EZ16N2	
		20	5" (125 mm)			88.10	40	6.02	0.56	EZ20N3	
		24	4" (100 mm)	920 x 680 H 1680 mm	1730 x 710 H230 mm	92.6	42	6.02	0.56	EZ24N4	
		32	3" (75 mm)			101.4	46	6.02	0.56	EZ32N5	
	UN 18" x 14" 457 x 356 mm	14	7" (175 mm)	(a) x (b) 35" x 24" H 66"	Two boxes 18" x 25¼" x H 9"	80.5	36.5	5.48	0.51	UZ14N1	
		16	6" (150 mm)			82.6	37.5	5.48	0.51	UZ16N2	
		20	5" (125 mm)			87	39.5	6.02	0.56	UZ20N3	
		24	4" (100 mm)	890 x 610 H 1680 mm	1730 x 640 H230 mm	91.4	41.5	5.48	0.51	UZ24N4	
		32	3" (75 mm)			100.3	45.5	5.48	0.51	UZ32N5	

Two Compartments Trolley H66" (H 1680 mm) with Two Trays Each Tier


Tray Disposal	Tray Model	N° Max Trays	Trays Span (s)	Trolley Dimensions	Packaging Dimensions	Weight lbs	Weight kg	Volume (sq ft)	Volume (m³)	Rod P/N	Price
	GN 20¾" x 12¾" 530 x 325 mm	14	7" (175 mm)	(a) x (b) 49" x 32" H 66"	Two boxes 18" x 33½" x H 9"	91.4	41.5	7.31	0.68	GZ28N6	
		16	6" (150 mm)	1240 x 820 H 1680 mm	1730 x 850 H230 mm	93.7	42.5	7.31	0.68	GZ32N7	
	EN 20¾" x 14½" 530 x 370 mm	14	7" (175 mm)	(a) x (b) 49" x 36" H 66"	Two boxes 18" x 37" x H 9"	92.5	42	8.07	0.75	EZ28N6	
		16	6" (150 mm)	1240 x 910 H 1680 mm	1730 x 940 H230 mm	94.7	43	8.07	0.75	EZ32N7	

One Compartment Tray Trolleys


H 37" (H 950 mm)



ONE COMPARTMENT
ONE TRAY EACH TIER



ONE COMPARTMENT
TWO TRAYS EACH TIER



TWO COMPARTMENTS
ONE TRAY EACH TIER

One Compartment Trolley H 37" (H 950 mm) with One Tray Each Tier

Tray Disposal	Tray Model	N° Max Trays	Trays Span (s)	Trolley Dimensions (a) x (b)	Packaging Dimensions	Weight lbs	Weight kg	Volume (sq ft)	Volume (m³)	Rod P/N	Price \$
	GN 20¾" x 12¾" 530 x 325 mm	14	3" (75 mm)	18" x 27" H 37"	39½" x 28" x H 9"	45.2	20.5	1.72	0.16	GB07N0	
	EN 20¾" x 14½" 530 x 370 mm			20" x 27" H 37"	39½" x 28" x H 9"	46.3	21	1.72	0.16	EB07N0	
	UN 18" x 14" 457 x 356 mm			23½" x 36" H 37"	39½" x 37" x H 9"	50.7	23	2.36	0.22	UB14N1	

The EN tray trolley is suitable also for UN trays

One Compartment Trolley H 37" (H 950 mm) with Two Trays Each Tier


Tray Disposal	Tray Model	N° Max Trays	Trays Span (s)	Trolley Dimensions (a) x (b)	Packaging Dimensions	Weight lbs	Weight kg	Volume (sq ft)	Volume (m³)	Rod P/N	Price \$
	GN 20¾" x 12¾" 530 x 325 mm	14	3" (75 mm)	26" x 32" H 37"	Two boxes 39½" x 33½" x H 9" 1000 x 850 H230 mm	50.7	23	2.15	0.20	GB14N1	
	EN 20¾" x 14½" 530 x 370 mm			26" x 36" H 37"	Two boxes 39½" x 37" x H 9" 1000 x 940 H230 mm	51.8	23.5	2.36	0.22	EB14N1	
	UN 18" x 14" 457 x 356 mm			23½" x 36" H 37"	Two boxes 39½" x 37" x H 9" 1000 x 940 H230 mm	50.7	23	2.36	0.22	UB14N1	

Two Compartments Trolley H 37" (H 950 mm) with One Tray Each Tier


Tray Disposal	Tray Model	N° Max Trays	Trays Span (s)	Trolley Dimensions (a) x (b)	Packaging Dimensions	Weight lbs	Weight kg	Volume (sq ft)	Volume (m³)	Rod P/N	Price \$
	GN 20¾" x 12¾" 530 x 325 mm	14	3" (75 mm)	33" x 27" H 37"	Two boxes 39½" x 28" x H 9" 1000 x 710 H230 mm	66	30	3.55	0.33	GB14N2	
	EN 20¾" x 14½" 530 x 370 mm			36" x 27" H 37"	Two boxes 39½" x 28" x H 9" 1000 x 710 H230 mm	67.2	30.5	3.55	0.33	EB14N2	
	UN 18" x 14" 457 x 356 mm			35" x 24" H 37"	Two boxes 39½" x 28" x H 9" 1000 x 710 H230 mm	66	30	3.12	0.29	UB14N2	

Tray Trolley for Trapezoidal Trays


H 66" (H 1680 mm) | H 37" (H 950 mm)



ONE COMPARTMENT
TWO TRAYS EACH TIER



TWO COMPARTMENTS
TWO TRAYS EACH TIER



TWO COMPARTMENTS
TWO TRAYS EACH TIER

One Compartment Trolley H66" (H 1680 mm) with Two Trays Each Tier

Tray Disposal	Tray Model	N° Max Trays	Trays Span (s)	Trolley Dimensions (a) x (b)	Packaging Dimensions	Weight lbs	Weight kg	Volume (sq ft)	Volume (m³)	Rod P/N	Price \$
	TZ 19' x 13 1/2" 480 x 340 mm	14	7" (175 mm)	24" x 34" H 66"	18" x 35 1/2" x H 9"	53	24	7.75	0.72	TZ14N0	
		16	6" (150 mm)			55.1	25	7.75	0.72	TZ16N1	
		20	5" (125 mm)	615 x 870 H 1680 mm	1730 x 900 H230 mm	59.5	27	7.75	0.72	TZ20N2	
		24	4" (100 mm)			63.9	29	7.75	0.72	TZ24N3	
		32	3" (75 mm)			72.7	33	7.75	0.72	TZ32N4	

Two Compartments Trolley H66" (H 1680 mm) with Two Trays Each Tier

Tray Disposal	Tray Model	N° Max Trays	Trays Span (s)	Trolley Dimensions (a) x (b)	Packaging Dimensions	Weight lbs	Weight kg	Volume (sq ft)	Volume (m³)	Rod P/N	Price \$
	TZ 19' x 13 1/2" 480 x 340 mm	28	7" (175 mm)	45" x 34" H 66"	3 boxes 18" x 35 1/2" x H 10 1/2"	92.5	42	13.99	1.30	TZ28N1	
		32	6" (150 mm)	1140 x 870 H 1680 mm	1730 x 900 H270 mm	94.7	43	13.99	1.30	TZ32N2	

Two Compartments Trolley H 37" (H 950 mm) with One Tray Each Tier

Tray Disposal	Tray Model	N° Max Trays	Trays Span (s)	Trolley Dimensions (a) x (b)	Packaging Dimensions	Weight lbs	Weight kg	Volume (sq ft)	Volume (m³)	Rod P/N	Price \$
	TZ 19' x 13 1/2" 480 x 340 mm	28	3" (75 mm)	45" x 34" H 37"	3 boxes 18" x 35 1/2" x H 10 1/2"	68.3	31	7.96	0.74	TB28N0	



Accessories To Be Requested When Ordering

Back Panel For One Compartment Trolley H 66" (1680 mm)

Trolley dimensions	in.	18" x 27"	26" x 32"	20" x 27"	26" x 36"	23½" x 36"	24" x 34"
	mm	460 x 680	665x820	505x680	665x910	595x910	615x870
Weight	lbs.	10.8	13.0	10.8	14.5	14.5	13.8
	kg	4.9	5.9	4.9	6.6	6.6	6.3
P/N		STDP01	STDP02	STDP03	STDP04	STDP05	STDP06
Price							

Back Panel For Two Compartments Trolley H 66" (1680 mm)

Trolley dimensions	in.	33" x 27"	49" x 32"	36" x 27"	49" x 36"	35" x 24"	45" x 34"
	mm	830x680	1240x820	920x680	1240x910	890x610	1140x870
Weight	lbs.	21.6	26.0	21.6	29.1	29.1	27.7
	kg	9.8	11.8	9.8	13.2	13.2	12.6
P/N		STDP07	STDP08	STDP09	STDP10	STDP11	STDP12
Price							


Back Panel For One Compartment Trolley H 37" (950 mm)

Trolley dimensions	in.	18" x 27"	26" x 32"	20" x 27"	26" x 36"	23½" x 36"
	mm	460x680	665x820	505x680	665x910	595x910
Weight	lbs.	5.9	7.2	5.9	8.1	8.1
	kg	2.7	3.3	2.7	3.7	3.7
P/N		STDP21	STDP22	STDP23	STDP24	STDP25
Price						

Back Panel For Two Compartments Trolley H 37" (950 mm)

Trolley dimensions	in.	33" x 27"	36" x 27"	35" x 24"	45" x 34"
	mm	830x680	920x680	890x610	1140x870
Weight	lbs.	11.9	11.9	11.0	15.4
	kg	5.4	5.4	5.0	7.0
P/N		STDP26	STDP27	STDP28	STDP29
Price					

Back panels



Custom panel print



Custom Print Panels

P/N	Description	Price
COLP01	Back panel for single compartment trolley H 66" (1680 mm)	
COLP02	Back panel for double compartment trolley H 66" (1680 mm)	
COLP03	Back panel for single compartment trolley H 37" (950 mm)	
COLP04	Back panel for double compartment trolley H 37" (950 mm)	
COLL01	Side panel for H 66" (1680 mm) trolley	
COLL02	Side panel for H 37" (950 mm) trolley	

Pair of Handles

Material	Black resin
Weight	lbs. 0.52
	kg 0.24
P/N	MANI01
Price	


Pair of Handles




Available Panel Colours

RAL 9016 White Gloss / Matt	RAL 9005 Black Gloss / Matt	RAL 1023 Yellow Gloss / Matt	RAL 3020 Red Gloss / Matt
RAL 6005 Green Gloss / Matt	RAL 5002 Blue Gloss / Matt	RAL 9006 / 9016 Silver / White Matt / Matt	

Door for Trolleys



**ONE COMPARTMENT
ONE TRAY EACH TIER**




**TWO COMPARTMENTS
ONE TRAY EACH TIER**

One Door For One Compartment Trolley H 66" (1680 mm)


Trolley dimensions	in.	18" x 27"	26" x 32"	20" x 27"	26" x 36"	23½" x 36"	24" x 34"
	mm	460 x 680	665x820	505x680	665x910	595x910	615x870
Weight	lbs.	10.8	13.0	10.8	14.5	14.5	13.8
	kg	4.9	5.9	4.9	6.6	6.6	6.3
P/N		DTDP01	DTDP02	DTDP03	DTDP04	DTDP05	DTDP06
Price							

Two Doors For One Compartment Trolley H 66" (1680 mm)

Trolley dimensions	in.	33" x 27"	49" x 32"	36" x 27"	49" x 36"	35" x 24"	45" x 34"
	mm	830x680	1240x820	920x680	1240x910	890x610	1140x870
Weight	lbs.	21.6	26.0	21.6	29.1	29.1	27.7
	kg	9.8	11.8	9.8	13.2	13.2	12.6
P/N		DTDP07	DTDP08	DTDP09	DTDP10	DTDP11	DTDP12
Price							



**ONE COMPARTMENT
ONE TRAY EACH TIER**



**TWO COMPARTMENTS
ONE TRAY EACH TIER**

One Door For One Compartment Trolley H 37" (950 mm)

Trolley dimensions	in.	18" x 27"	26" x 32"	20" x 27"	26" x 36"	23½" x 36"
	mm	460x680	665x820	505x680	665x910	595x910
Weight	lbs.	5.9	7.2	5.9	8.1	8.1
	kg	2.7	3.3	2.7	3.7	3.7
P/N		DTDP21	DTDP22	DTDP23	DTDP24	DTDP25
Price						

One Door For One Compartment Trolley H 37" (950 mm)

Trolley dimensions	in.	33" x 27"	36" x 27"	35" x 24"	45" x 34"
	mm	830x680	920x680	890x610	1140x870
Weight	lbs.	11.9	11.9	11.0	15.4
	kg	5.4	5.4	5.0	7.0
P/N		DTDP26	DTDP27	DTDP28	DTDP29
Price					



Accessories

Top Panel with Fall Arresting Bars - One Compartment Tray Trolley

Tray type		GN		EN		UN	TZ
Trolley dimensions	in.	18" x 27"	26" x 32"	20" x 27"	26" x 36"	23½" x 36"	24" x 34"
	mm	460 x 680	665x820	505x680	665x910	595x910	615x870
Weight	lbs.	3.9	6.2	4.2	6.6	6.2	6.2
	kg	1.8	2.8	1.9	3.0	2.8	2.8
P/N		1CPS01	1CPS02	1CPS03	1CPS04	1CPS05	1CPS06
Price							

Top Panel with Fall Arresting Bars - Two Compartments Tray Trolley

Tray type		GN		EN		UN	TZ
Trolley dimensions	in.	33" x 27"	49" x 32"	36" x 27"	49" x 36"	35" x 24"	45" x 34"
	mm	830x680	1240x820	920x680	1240x910	890x610	1140x870
Weight	lbs.	7.9	12.3	8.3	13.2	12.3	12.3
	kg	3.6	5.6	3.8	6.0	5.6	5.6
P/N		2CPS01	2CPS02	2CPS03	2CPS04	2CPS05	2CPS06
Price							

Bottom Panel - One Compartment Tray Trolley

Tray type		GN		EN		UN	TZ
Trolley dimensions	in.	18" x 27"	26" x 32"	20" x 27"	26" x 36"	23½" x 36"	24" x 34"
	mm	460 x 680	665x820	505x680	665x910	595x910	615x870
Weight	lbs.	2.8	5.0	3.0	5.5	5.0	5.0
	kg	1.3	2.3	1.4	2.5	2.3	2.3
P/N		1CPI01	1CPI02	1CPI03	1CPI04	1CPI05	1CPI06
Price							

Bottom Panel - Two Compartments Tray Trolley

Tray type		GN		EN		UN	TZ
Trolley dimensions	in.	33" x 27"	49" x 32"	36" x 27"	49" x 36"	35" x 24"	45" x 34"
	mm	830x680	1240x820	920x680	1240x910	890x610	1140x870
Weight	lbs.	5.7	10.1	6.1	11.0	10.1	10.1
	kg	2.6	4.6	2.8	5.0	4.6	4.6
P/N		2CPI01	2CPI02	2CPI03	2CPI04	2CPI05	2CPI06
Price							

Side Panel (Replacement) - Trolley H 66" (H 1680 mm)

Trolley dimensions	in.	24"	27"	32"	34"	36"
	mm	610	680	820	870	910
Weight	lbs.	9.7	10.8	13.0	13.6	14.3
	kg	4.4	4.9	5.9	6.2	6.5
P/N		STDLO1	STDLO2	STDLO3	STDLO4	STDLO5
Price						

Side Panel (Replacement) - Trolley H 37" (H 950 mm)

Trolley dimensions	in.	24"	27"	32"	34"	36"
	mm	610	680	820	870	910
Weight	lbs.	5.5	5.9	7.3	7.7	8.1
	kg	2.5	2.7	3.3	3.5	3.7
P/N		STDL21	STDL22	STDL23	STDL24	STDL25
Price						


Galvanized Wheel

Wheel model	Ø 5" (125 mm) with brake	Ø 5" (125 mm) without brake
P/N	RUZN01	RUZN02
Weight	1.89 lbs. 0.86 kg	1.54 lbs. 0.70 kg
Price		



Resin Wheel

Wheel model	Ø 5" (125 mm) with brake	Ø 5" (125 mm) without brake
P/N	RURE01	RURE02
Weight	1.54 lbs. 0.70 kg	1.21 lbs. 0.55 kg
Price		




Foamed Wheel

Wheel model	Ø 5" (125 mm) with brake	Ø 5" (125 mm) without brake
P/N	RUPU01	RUPU02
Weight	1.98 lbs. 0.90 kg	1.67 lbs. 0.76 kg
Price		



Removable top panel for easy cleaning



Removable bottom panel for easy cleaning



Side Panels



Easy to Assemble



Ease of Transportation

Flat packaging allows freight cost reduction

The product is shipped pre-assembled reducing the volume to about one third of the finished product.

SMART LABEL

Awarded for Smart Packaging and assembly without tools @ Host 2015



